

Clinical Documentation Integrity Weekly Bulletin

Medical Staff – 12.27.2016

Talk Ten (ICD 10) Tuesday Tips....Got a Minute:

Specificity: *noun* spec·i·fic·i·ty \spe-sə-ˈfi-sə-tē\ the quality or condition of being free from ambiguity

Tis the season...for trips, slips and falls...and Fractures:

Criteria for 'Pathologic/Fragility Fracture':

- ≥50 years old
- Ground Level Fall (i.e. from sitting or standing position)
- Creating a fracture when a fracture wouldn't be expected in a normal, healthy bone.
 - When the fracture is out of proportion to the degree of the trauma (weakening of bone structure by pathologic processes)
- History of Osteoporosis, Neoplasm etc

Note:

- 'DEXA scan' is the usual diagnostic tool for osteoporosis....it does not need to be repeated if prior diagnosis of osteoporosis has been made.....
- Osteoporosis has already become severe if it can be identified on plain x-ray studies; radiologists will often use the word 'osteopenia'.
 - Even mild osteopenia on plain x-ray represents severe underlying osteoporosis.

ICD-10 Code	Description (Pathologic fx have higher severity impact than comparable traumatic fractures)	APR-DRG SOI (Severity of Illness)	APR-DRG ROM (Risk of Mortality)
M80052A	Age-related osteoporosis with current pathologic fracture	2	1
M84559A	Pathologic fracture in neoplastic disease	2	1
S42292A	Other displaced fracture of upper end of	1	1

Please consider the following sample statements (when applicable):

- Pathologic/Fragility Hip Fracture, due to Osteoporosis, slipped on ice
- Pathologic/Fragility Fracture, due to Neoplastic disease